

662221" 62472460




FIG. 1

00471429-12300

62 60

**Number (e.g. DSNZ999I - all caps):**

DSNZ999I 64

**Origination (e.g. Wallar, 03/16/1999, DCR DG999):**

Wallar, 06/30/1999 66

**Message Text (Not used for Codes):**

Here is some sample text. In the Messages and Codes book for DB2, this text would give a Textual Representation of what the above number indicates. ... (i.e., The system is not able to process your information) 68

**Explanation:**

Here is where the explanation of the Message Text would be displayed.... (i.e., You did not enter the proper key word and the system halted) 70

**Severity(0-8): (e.g. 4 (warning))**

This is where the Severity Code would go... (i.e., 72

**System Action:**

This is where the action that the system completes would go... (i.e. System restarts) 74

**Operator Response:**

Not all the fields have to be filled in. The application can determine when to add tagging and when a field should be omitted 76

**Programmer Response:**

78

Fig. 2

Other Messages:

80

Select Output Type:  84

**Create:** Click on the following button to create the completed message in the box below. This will collect and merge all the information you have entered in fields above. If you need help with some additional tags or display formatting, use SGML Help.

Create Complete Message 86

66E22T 624T 2450

```
<msg>
<!-- Message Creator Generated, Wallar, 08/30/1999 -->
<msgnum>DSNZ999I<?BKM::subject.DSNZ999I></msgnum>
<msgtext>Here is some sample text. In the Messages and
Codes book for DB2, this text would give a Textual
Representation of what the above number indicates.
..(i.e., The system is not able to process your information)
</msgtext>
<msgitem class="explanation">
<p>Here is where the explanation of the Message Text would
be displayed....(i.e., You did not enter the proper key
word and the system halted)</p>
</msgitem>
<msgitem class="severity">
<p>This is where the Severity Code would go...(i.e., 4
(warning))</p>
</msgitem>
<msgitem class="sysact">
<p>This is where the action that the system completes would
go...(i.e. System restarts)</p>
</msgitem>
<msgitem class="oresp">
<p>Not all the fields have to be filled in. The
application can determine when to add tagging and when a
field should be omitted</p>
```

82

62

FIG. 3

Select Output Type: BookManager

**Create:** Click on the following button to create the completed message in the box below. This will collect and merge all the information you have entered in fields above. If you need help with some additional tags or display formatting, use SGML Help.

Create Complete Message 86

```
..-Wallar, 08/30/1999
:msgnum.DSNZ999I
:msg.Here is some sample text. In the Messages and Codes
book for DB2, this text would give a Textual Representation
of what the above number indicates. ..(i.e., The system is
not able to process your information)
:xpl.Here is where the explanation of the Message Text
would be displayed....(i.e., You did not enter the proper
key word and the system halted)
:severity.This is where the Severity Code would go...(i.e.,
4 (warning))
:sysact.This is where the action that the system completes
would go...(i.e. System restarts)
:orasp.Not all the fields have to be filled in. The
application can determine when to add tagging and when a
field should be omitted
```

82

FIG. 4

09471429-12229

Select Output Type: Display Format

**Create:** Click on the following button to create the completed message in the box below. This will collect and merge all the information you have entered in fields above. If you need help with some additional tags or display formatting, use SGML Help.

Create Complete Message - 86

DSNZ999I	Here is some sample text. In the Messages and Codes book for DB2, this text would give a Textual Representation of what the above number indicates. ..(i.e., The system is not able to process your information)
Explanation: Here is where the explanation of the Message Text would be displayed....(i.e., You did not enter the proper key word and the system halted)	
Severity: This is where the Severity Code would go...(i.e., 4. (warning))	
System Action: This is where the action that the system completes would go...(i.e. System restarts)	
Operator Response: Not all the fields have to be filled in. The application can determine when to add tagging and when a field should be omitted.	

-82

F16.5

666221" 62412460




FIG. 6

If you need to enter elements such as lists and paragraphs, use this tag generator to create them or display their format. You can then copy them into the appropriate message section above.

Select output type:  122

Select text element:  124

For lists, how many items in list?  126

For output examples of the elements, [click here](#).

128

```

<dl>
<dlentry>
<term>
***term1
</term>
<defn>
***definition1
</defn>
</dlentry>

<dlentry>
<term>
***term2
</term>
<defn>
***definition2
</defn>
</dlentry>

```

130

FIG. 7

SECRET 647429-12369




FIG. 8